



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

F586 – MS Polymer Adhesive

Version 3.0 Revision Date: 23.02.2024 SDS Number: 100000009263 Date of last issue: 12.09.2023
Date of first issue: 02.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : F586

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Adhesive, Sealant

Recommended restrictions on use : Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company : Floorwise Group Ltd

Address : Floorwise House, 22 High Street,
Kegworth, Derby DE74 2DA
Tel: 01509 673 974

E-mail address of person responsible for the SDS : wiseup@floorwise.co.uk

1.4 Emergency telephone number

Emergency telephone number : In case of poisoning:
Floorwise: +44 (0) 1509 673 974 (Mon-Fri 09:00-17:00)

In case of transport accidents:
Floorwise: +44 (0) 1509 673 974 (Mon-Fri 09:00-17:00)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Additional Labelling

EUH210 Safety data sheet available on request.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

F586 – MS Polymer Adhesive

Version 3.0 Revision Date: 23.02.2024 SDS Number: 100000009263 Date of last issue: 12.09.2023
Date of first issue: 02.10.2022

EUH208	Contains trimethoxyvinylsilane, Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate. May produce an allergic reaction.
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide	13463-67-7 236-675-5 01-2119489379-17-0000	Carc. 2; H351	>= 1 - < 10
trimethoxyvinylsilane	2768-02-7 220-449-8 014-049-00-0 01-2119513215-52-0000	Flam. Liq. 3; H226 Acute Tox. 4; H332 Skin Sens. 1B; H317 Acute toxicity estimate Acute inhalation toxicity (vapour): 16,853963 mg/l	>= 0,1 - < 1
Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	68610-51-5 271-867-2 01-2119496062-39-0000	Repr. 2; H361 Aquatic Chronic 4; H413	>= 0,25 - < 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

F586 – MS Polymer Adhesive

Version 3.0 Revision Date: 23.02.2024 SDS Number: 100000009263 Date of last issue: 12.09.2023
 Date of first issue: 02.10.2022

		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	1065336-91-5 915-687-0 01-2119491304-40-0000	Skin Sens. 1A; H317 Repr. 2; H361f Aquatic Acute 1; H400 Aquatic Chronic 1; H410	$\geq 0,025 - < 0,1$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.
- In case of skin contact : Treat affected skin with cotton wool or cellulose. Wash off with plenty of water. Use a mild soap if available. If skin irritation persists, call a physician.
- In case of eye contact : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
- If swallowed : If accidentally swallowed obtain immediate medical attention. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

F586 – MS Polymer Adhesive

Version	Revision Date:	SDS Number:	Date of last issue: 12.09.2023
3.0	23.02.2024	100000009263	Date of first issue: 02.10.2022

Alcohol-resistant foam
Dry powder
Carbon dioxide (CO₂)

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : May release toxic, irritating and/or corrosive gases.
In case of fire, the following substance(s) may occur:
Nitrogen oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : In the event of fire, wear self-contained breathing apparatus. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Ensure adequate ventilation.
Send for recovery or disposal in suitable containers.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Dispose of contaminated material as waste according to section 13.

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of dust and aerosols.
Use only with adequate ventilation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

F586 – MS Polymer Adhesive

Version 3.0 Revision Date: 23.02.2024 SDS Number: 100000009263 Date of last issue: 12.09.2023
 Date of first issue: 02.10.2022

Handle with care.
 Keep eye wash bottle available on working place.
 Avoid release to the environment.
 Keep away from children.

Advice on protection against fire and explosion : In the event of fire and/or explosion do not breathe fumes. Keep breathing equipment ready. Have fire extinguishing equipment ready in case of nearby fire.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep dark, cool and dry. Do not freeze.

Further information on storage conditions : Keep containers tightly closed in a dry, cool and well-ventilated place.

Storage class (TRGS 510) : 13, Non-Combustible Solids

7.3 Specific end use(s)

Specific use(s) : No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
di-"isononyl" phthalate (Un-branched)	28553-12-0	OELV - 8 hrs (TWA)	5 mg/m ³	IE OEL
titanium dioxide	13463-67-7	OELV - 8 hrs (TWA) (Respirable dust)	4 mg/m ³	IE OEL
		OELV - 8 hrs (TWA) (inhalable dust)	10 mg/m ³	IE OEL

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
calcium carbonate	Workers	Eye contact	Local effects	
	Workers	Inhalation	Local, long-term	6,36 mg/m ³
di-"isononyl" phthalate (Un-branched)	Workers	Inhalation	Systemic, long-term	51,72 mg/m ³
	Workers	Dermal	Systemic, long-term	366 mg/kg
trimethoxyvinylsilane	Workers	Eye contact	Local effects	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

F586 – MS Polymer Adhesive

Version 3.0 Revision Date: 23.02.2024 SDS Number: 100000009263 Date of last issue: 12.09.2023
 Date of first issue: 02.10.2022

	Workers	Inhalation	Systemic, long-term	27,6 mg/m ³
	Workers	Dermal	Systemic, long-term	3,9 mg/kg
	Workers	Inhalation	Systemic, long-term	130 mg/m ³
Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	Workers	Eye contact	Local effects	
	Workers	Inhalation	Systemic, long-term	0,29 mg/m ³
	Workers	Dermal	Systemic, long-term	0,42 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
calcium carbonate	Sewage treatment plant	100 mg/l
di-"isononyl" phthalate (Un-branched)	Soil	30 mg/kg
trimethoxyvinylsilane	Marine water	0,04 mg/l
	Fresh water	0,4 mg/l
	Fresh water sediment	1,5 mg/kg
	Sewage treatment plant	6,6 mg/l
	Marine sediment	0,15 mg/kg
	Soil	0,06 mg/kg
Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	Predator	1,7 mg/kg
	Soil	85,16 mg/kg
	Fresh water sediment	426,26 mg/kg
	Marine water	0,002 mg/l
	Marine sediment	85,25 mg/kg
	Fresh water	0,01 mg/l
	Sewage treatment plant	100 mg/l

8.2 Exposure controls

Engineering measures

Please take care on national and local requirements.

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection
 Material : butyl-rubber

Remarks : The glove material has to be impermeable and resistant to the product/the substance/the preparation. The exact break through time can be obtained from the protective glove producer and this has to be observed.

Skin and body protection : Protective clothing

Respiratory protection : No personal respiratory protective equipment normally required.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

F586 – MS Polymer Adhesive

Version 3.0 Revision Date: 23.02.2024 SDS Number: 100000009263 Date of last issue: 12.09.2023
Date of first issue: 02.10.2022

Protective measures : Keep away from food, drink and animal feedingstuffs.
Wash hands before breaks and immediately after handling the product.
Avoid contact with the eyes and skin.

Environmental exposure controls

Air : Suppress (knock down) gases/vapours/mists with a water spray jet.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : solid

Colour : white

Odour : characteristic

Odour Threshold : is not determined

Melting point/freezing point : is not determined

Boiling point/boiling range : is not determined

Flammability : Not classified as a flammability hazard

Upper explosion limit / Upper flammability limit : Upper flammability limit is not determined

Lower explosion limit / Lower flammability limit : Lower flammability limit is not determined

Flash point : Not applicable

Auto-ignition temperature : not self-igniting

Decomposition temperature : Not applicable

pH : is not determined

Solubility(ies)
Water solubility : not miscible or difficult to mix

Partition coefficient: n-octanol/water : no data available

Vapour pressure : is not determined

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

F586 – MS Polymer Adhesive

Version	Revision Date:	SDS Number:	Date of last issue: 12.09.2023
3.0	23.02.2024	100000009263	Date of first issue: 02.10.2022

Density	:	1,41 g/cm ³
Relative vapour density	:	is not determined

9.2 Other information

Explosives	:	Not explosive
Evaporation rate	:	is not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

No decomposition if used according to the specifications.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Reacts with acids Reacts with strong oxidizing agents
---------------------	---	--

10.4 Conditions to avoid

Conditions to avoid	:	No further relevant information available.
---------------------	---	--

10.5 Incompatible materials

Materials to avoid	:	No further relevant information available.
--------------------	---	--

10.6 Hazardous decomposition products

Contact with water (or air humidity) liberates minor quantities of:
Methanol

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Components:

trimethoxyvinylsilane:

Acute oral toxicity	:	LD50 Oral (Rat): 7.120 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 2780 ppm Exposure time: 4 Hours Test atmosphere: vapour

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

F586 – MS Polymer Adhesive

Version 3.0 Revision Date: 23.02.2024 SDS Number: 100000009263 Date of last issue: 12.09.2023
Date of first issue: 02.10.2022

Acute toxicity estimate: 16,853963 mg/l Test atmosphere: vapour
Method: ATE value derived from LD50/LC50 value

Acute dermal toxicity : LD50: 3.540 mg/kg

Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg

Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate:

Acute oral toxicity : LD50 Oral (Rat): 3.230 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

titanium dioxide:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Aspiration toxicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

F586 – MS Polymer Adhesive

Version 3.0 Revision Date: 23.02.2024 SDS Number: 100000009263 Date of last issue: 12.09.2023
Date of first issue: 02.10.2022

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0,2 mg/l
Exposure time: 96 Hours
Test Type: semi-static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0,2 mg/l
Exposure time: 48 Hours
Test Type: static test

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): > 0,2 mg/l
Exposure time: 72 Hours
Test Type: flow-through test

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene:

Partition coefficient: n-octanol/water : log Pow: > 7,17 - < 8,17 (30 °C)
GLP: yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

F586 – MS Polymer Adhesive

Version 3.0 Revision Date: 23.02.2024 SDS Number: 100000009263 Date of last issue: 12.09.2023
Date of first issue: 02.10.2022

12.4 Mobility in soil

Product:

Mobility : Medium: Soil
Remarks: Do not allow product to reach ground water, water bodies or sewage system.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of with domestic refuse.
Do not dispose of waste into sewer.
Hand over to disposers of hazardous waste.
Can be deposited with household garbage after solidification following consultation with the operator of the waste disposal facility and the pertinent authorities and under adherence to the necessary technical regulations.
The generation of waste should be avoided or minimized wherever possible.
Incinerate under controlled conditions in accordance with all local and national laws and regulations.
Disposal must be made according to official regulations.

These EU waste code numbers are recommendations for waste accruing through the use of adhesives and sealants. Any waste produced from organic solvents or other dangerous substances (according GHS) listed under section 3 of this safety datasheet is itself classified as dangerous (*).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

F586 – MS Polymer Adhesive

Version 3.0 Revision Date: 23.02.2024 SDS Number: 100000009263 Date of last issue: 12.09.2023
Date of first issue: 02.10.2022

Waste accruing during application:

08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Waste accruing during cleaning:

08 04 11* adhesive and sealant sludges containing organic solvents or other dangerous substances
08 04 12 adhesive and sealant sludges other than those mentioned in 08 04 11

Waste packaging:

15 01 01 paper and cardboard packaging
15 01 02 plastic packaging
15 01 04 metallic packaging
15 01 10* packaging containing residues of or contaminated by dangerous substances.

Contaminated packaging : Disposal must be made according to official regulations.

SECTION 14: Transport information**14.1 UN number or ID number**

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH - Restrictions on the manufacture, placing on : Conditions of restriction for the fol-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

F586 – MS Polymer Adhesive

Version 3.0 Revision Date: 23.02.2024 SDS Number: 100000009263 Date of last issue: 12.09.2023
 Date of first issue: 02.10.2022

the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

lowing entries should be considered:

Silicic acid (H₄SiO₄), tetraethyl ester, reaction products with bis(acetyloxy)dioctylstannane (Number on list 20)tetramethyl orthosilicate

REACH - Candidate List of Substances of Very High Concern for Authorisation (SVHC, Article 59)

: Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)

: Not applicable

RoHS: 2011/65/EU, Restriction of Hazardous Substances

: Not applicable

Council Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

: Neither banned nor restricted

Council Regulation (EC) No 273/2004 on drug precursors

: Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

: Not applicable

REACH - List of substances subject to authorisation (Annex XIV)

: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
 Volatile organic compounds (VOC) content: 2,01 %

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

F586 – MS Polymer Adhesive

Version	Revision Date:	SDS Number:	Date of last issue: 12.09.2023
3.0	23.02.2024	100000009263	Date of first issue: 02.10.2022

AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
ENCS	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	On the inventory, or in compliance with the inventory
REACH	:	On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements

H226	:	Flammable liquid and vapour.
H317	:	May cause an allergic skin reaction.
H332	:	Harmful if inhaled.
H351	:	Suspected of causing cancer.
H361	:	Suspected of damaging fertility or the unborn child.
H361f	:	Suspected of damaging fertility.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H413	:	May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Carc.	:	Carcinogenicity
Flam. Liq.	:	Flammable liquids
Repr.	:	Reproductive toxicity
Skin Sens.	:	Skin sensitisation
IE OEL	:	Ireland. List of Chemical Agents and Carcinogens with Occupational Exposure Limit Values - Code of Practice, Schedule 1 and 2
IE OEL / OELV - 8 hrs (TWA)	:	Occupational exposure limit value (8-hour reference period)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

F586 – MS Polymer Adhesive

Version	Revision Date:	SDS Number:	Date of last issue: 12.09.2023
3.0	23.02.2024	100000009263	Date of first issue: 02.10.2022

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.
Penetrometer test according to ADR 2.3.4.3
Test result: solid (penetration after 5 s < 15 mm)
Burning test according to 33.2.4 "Manual of Tests and Criteria" (Recommendations on the TRANSPORT OF DANGEROUS GOODS [United Nations]):
Burning rate: ≤ 2.2 mm/s (Not a dangerous good according to ADR class 4.1)

Modified data compared to the previous version

The following sections have been updated:
- Section 2



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

F586 – MS Polymer Adhesive

- Section 4

Version 3.0

Revision Date: 23.02.2024

SDS Number: 100000009263

Date of last issue: 12.09.2023 Date of first issue: 02.10.2022

- Section 8
- Section 15
- Section 16

Contact Point : Floorwise Group Ltd.
wiseup@floorwise.co.uk

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN